

【SDTラット参考文献リスト】

(※動物カタログのReferencesとは通し番号が異なります。)

01. Shinohara M, Masuyama T, Shoda T, Takahashi T, Katsuda Y, Komeda K, Kuroki M, Kakehashi A, Kanazawa Y. A new spontaneously diabetic non-obese Torii rat strain with severe ocular complications. *Int J Exp Diabetes Res.* 2000; 1(2): 89-100. [PMID: 11469401]
02. 梯 彰弘, 金澤康徳. 新しい糖尿病網膜症モデル動物-SDTラット. *内分泌・糖尿病科.* 2001; 12(4): 386-90.
03. 益山 拓, 布施雅規, 原 朱美, 菅原盛幸, 金澤真雄, 金澤康徳, 米田嘉重郎. 2型糖尿病モデルSDTラットの而糖能低下に関する遺伝学的解析. *Diabetes Frontier.* 2001; 12: 818-9.
04. 篠原雅巳, 益山 拓, 正田俊之, 米田嘉重郎, 梯 彰弘, 黒木昌寿, 金澤康徳. 新しい糖尿病モデルSDT(Spontaneously Diabetic Torii)ラットについて. *Diabetes Frontier.* 2002; 13(1): 112-3.
05. 金澤康徳, 米田嘉重郎. 糖尿病実験モデル動物一概論. *日本臨牀.* 2002; 60(増刊8): 19-24. [PMID: 12355745]
06. 鈴木 進, 檜尾好徳. 非肥満糖尿病モデル動物. *日本臨牀.* 2002; 60(増刊8): 33-7. [PMID: 12355768]
07. Masuyama T, Fuse M, Yokoi N, Shinohara M, Tsujii H, Kanazawa M, Kanazawa Y, Komeda K, Taniguchi K. Genetic analysis for diabetes in a new rat model of nonobese type 2 diabetes, Spontaneously Diabetic Torii rat. *Biochem Biophys Res Commun.* 2003; 304(1): 196-206. [PMID: 12705906]
08. 梯 彰弘. 糖尿病網膜症の形態学とモデル動物からみた糖尿病網膜症の発症機序. *内分泌・糖尿病科.* 2003; 17(1): 31-7.
09. Masuyama T, Komeda K, Hara A, Noda M, Shinohara M, Oikawa T, Kanazawa Y, Taniguchi K. Chronological characterization of diabetes development in male Spontaneously Diabetic Torii rats. *Biochem Biophys Res Commun.* 2004; 314(3): 870-7. [PMID: 14741717]
10. 篠原雅巳, 正田俊之, 及川寿浩, 益山 拓, 高橋統一, 勝田佳朋, 米田嘉重郎, 佐藤嘉兵, 金澤康徳. 自然発症2型糖尿病モデル雌性SDTラットの糖尿病病態について. *糖尿病.* 2004; 47(2): 111-6.
11. 和田龍一, 矢島信久, 篠原雅巳, 八木橋操六. 新しい非肥満2型糖尿病モデルSpontaneously Diabetic Torii (SDT)ラットの末梢神経障害. *Diabetes Frontier.* 2004; 15(5): 731.
12. Miao G, Ito T, Uchikoshi F, Kamei M, Akamaru Y, Kiyomoto T, Komoda H, Nozawa M, Matsuda H. Stage-dependent effect of pancreatic transplantation on diabetic ocular complications in the Spontaneously Diabetic Torii rat. *Transplantation.* 2004; 77(5): 658-63. [PMID: 15021825]
13. Shinohara M, Oikawa T, Sato K, Kanazawa Y. Glucose intolerance and hyperlipidemia prior to diabetes onset in female Spontaneously Diabetic Torii (SDT) rats. *Exp Diabetes Res.* 2004; 5(4): 253-6. [PMID: 15763939]
14. Masuyama T, Katsuda Y, Shinohara M. A novel model of obesity-related diabetes: introgression of the Lep^{prfa} allele of the Zucker fatty rat into nonobese Spontaneously Diabetic Torii (SDT) rats. *Exp Anim.* 2005; 54(1): 13-20. [PMID: 15725677]
15. Miao G, Ito T, Uchikoshi F, Tanemura M, Kawamoto K, Shimada K, Nozawa M, Matsuda H. Beneficial effects of pancreas transplantation: regeneration of pancreatic islets in the spontaneously diabetic Torii rat. *Transplant Proc.* 2005; 37(1): 226-8. [PMID: 15808602]
16. Yamada H, Yamada E, Higuchi A, Matsumura M. Retinal neovascularisation without ischaemia in the spontaneously diabetic Torii rat. *Diabetologia.* 2005; 48(8): 1663-8. [PMID: 15977012]
17. 篠原雅巳, 及川寿浩, 佐藤嘉兵. 自然発症糖尿病モデルSDT雌ラットにおける卵巣摘出およびエストロゲン処理が糖尿病病態に及ぼす影響について. *Reprod Immunol Biol.* 2005; 20(1): 5-9.
18. Matsuoka M, Ogata N, Minamino K, Higuchi A, Matsumura M. High levels of pigment epithelium-derived factor in the retina of a rat model of type 2 diabetes. *Exp Eye Res.* 2006; 82(1): 172-8. [PMID: 16054135]
19. Miao G, Ito T, Uchikoshi F, Tanemura M, Kawamoto K, Shimada K, Nozawa M, Matsuda H. Development of islet-like cell clusters after pancreas transplantation in the spontaneously diabetic Torii rat. *Am J Transplant.* 2005; 5(10): 2360-7. [PMID: 16162183]
20. 山田耕太郎, 細川雅也, 藤本新平, 長嶋一昭, 福田一仁, 小川栄一, 藤田義人, 上田直哉, 山田祐一郎, 稲垣暢也, 清野裕. Spontaneously Diabetic Torii (SDT)ラットにおける糖尿病性下痢の検討. *Diabetes Frontier.* 2005; 16(5): 634.
21. 益山 拓, 篠原雅巳, 梯 彰弘. 新しい自然発症2型糖尿病モデルSDTラット. *分子細胞治療.* 2005; 4(6): 523-6.
22. 梯 彰弘. シンポジウム4 糖尿病動物モデルとその臨床的意義 -4糖尿病合併症動物モデル: 網膜症を中心に. *糖尿病学の進歩.* 2002; 36: 318-23.



23. 水谷 伸, 泉 哲郎. 2型糖尿病動物モデル. 医学のあゆみ. 2004; 別冊(4月): 207-10.
24. Sasase T, Ohta T, Ogawa N, Miyajima K, Ito M, Yamamoto H, Morinaga H, Matsushita M. Preventive effects of glycemic control on ocular complications of Spontaneously Diabetic Torii rat. *Diabetes Obesity Metab.* 2006; 8(5): 501-7. [PMID: 16918584]
25. 篠原雅巳, 及川寿浩, 牛島太郎, 佐藤嘉兵. 非肥満2型糖尿病モデル雌性SDTラットにおける卵巣摘出およびエストロゲン処理が糖尿病病態に及ぼす影響について. *Diabetes Frontier.* 2006; 17(4): 545-6.
26. Kakehashi A, Saito Y, Mori K, Sugi N, Ono R, Yamagami H, Shinohara M, Tamemoto H, Ishikawa SE, Kawakami M, Kanazawa Y. Characteristics of diabetic retinopathy in SDT rats. *Diabetes Metab Res Rev.* 2006; 22(6): 455-61. [PMID: 16572493]
27. 鈴木 進. -2型モデル ②非肥満型モデル- 非肥満糖尿病モデル動物. *Diabetes Frontier.* 2006; 17(5): 653-7.
28. Yamada K, Hosokawa M, Fujimoto S, Nagashima K, Fukuda K, Fujiwara H, Ogawa E, Fujita Y, Ueda N, Matsuyama F, Yamada Y, Seino Y, Inagaki N. The spontaneously diabetic Torii rat with gastroenteropathy. *Diabetes Res Clin Pract.* 2007; 75(2): 127-34. [PMID: 16959364]
29. Ideno J, Mizukami H, Kakehashi A, Saito Y, Okada T, Urabe M, Kume A, Kuroki M, Kawakami M, Ishibashi S, Ozawa K. Prevention of diabetic retinopathy by intraocular soluble flt-1 gene transfer in a spontaneously diabetic rat model. *Int J Mol Med.* 2007; 19(1): 75-9. [PMID: 17143550]
30. Shinohara M, Masuyama T, Kakehashi A. The Spontaneously Diabetic Torii (SDT) rat with retinopathy lesions resembling those of humans. *Animal Models of Diabetes: Frontiers in Research*, Second Edition, ed by Shafir E. New York, Taylor and Francis Group, 311-321, 2007.
31. Sasase T, Morinaga H, Yamamoto H, Ogawa N, Matsui K, Miyajima K, Kawai T, Mera Y, Masuyama T, Shinohara M, Ohta T, Matsushita M. Increased fat absorption and impaired fat clearance cause postprandial hypertriglyceridemia in Spontaneously Diabetic Torii rat. *Diabetes Res Clin Pract.* 2007; 78(1): 8-15. [PMID: 17448560]
32. Matsuoka M, Ogata N, Minamino K, Matsumura M. Leukostasis and pigment epithelium-derived factor in rat models of diabetic retinopathy. *Mol Vis.* 2007; 13: 1058-65. [PMID: 17653050]
33. Sugiyama T, Okuno T, Fukuhara M, Oku H, Ikeda T, Obayashi H, Ohta M, Fukui M, Hasegawa G, Nakamura N. Angiotensin II receptor blocker inhibits abnormal accumulation of advanced glycation end products and retinal damage in a rat model of type 2 diabetes. *Exp Eye Res.* 2007; 85(3): 406-12. [PMID: 17678894]
34. 大川勝正, 望月一男, 志田英士, 鈴木敏博, 大場知子, 松本透, 保莉義則, 橋詰昌幸, 横越 英彦. 若齢期の繰り返すストレスが雄性SDTラットの自発運動量などに及ぼす影響. *Diabetes Frontier.* 2007; 18(4): 433.
35. 篠原雅巳, 正田俊之. 雌性SDTラットの糖尿病性眼合併症の病理組織学的特徴. *Diabetes Frontier.* 2007; 18(4): 434-5.
36. Shimada K, Ito T, Tanemura M, Komoda H, Fumimoto Y, Kawamoto K, Nishida T, Kaneko H, Sawa Y. Development of β -cells in native pancreas after pancreas allo-transplantation in the Spontaneously Diabetic Torii SDT rat. *J Surg Res.* 2008; 145(2): 229-37. [PMID: 17764693]
37. Ohta T, Matsui K, Miyajima K, Sasase T, Masuyama T, Shoda T, Koizumi H, Shinohara M, Matsushita M. Effect of insulin therapy on renal changes in Spontaneously Diabetic Torii rats. *Exp Anim.* 2007; 56: 355-62.
38. Shoda T, Shinohara M, Takahashi T, Miyajima K, Kakehashi A, Miyakawa Y. Histopathological features of diabetic ocular complications in the Spontaneously Diabetic Torii (SDT) Rat. *J Toxicol Pathol.* 2007; 20: 179-83.
39. Fujii H, Hamada Y, Fukagawa M. Bone formation in spontaneously diabetic Torii-newly established model of non-obese type 2 diabetes rats. *Bone.* 2008; 42: 372-9. [PMID: 18037364]
40. Ookawa K, Mochizuki K, Yokogoshi H. Effect of repeated stress in early childhood on the onset of diabetes mellitus in male Spontaneously Diabetic Torii rats. *J Vet Med Sci.* 2008; 70(2): 145-51. [PMID: 18319574]
41. Kenichi Matsul, Takeshi Ohta, Tomohiro Oda, Tomohiko Sasase, Nobuhisa Ueda, Katsuhiko Miyajima, Taku Masuyama, Masami Shinohara, Mutsuyoshi Matsushita. Diabetes-associated complications in spontaneously diabetic torii fatty rats. *Exp Anim.* 2008; 57(2): 111-21. [PMID: 18421173]
42. Shimada K, Ito T, Miao G, Tanemura M, Komoda H, Fumimoto Y, Kawamoto K, Nishida T, Kaneto H, Sawa Y. Regeneration of beta cells in the native pancreata after syngeneic and allogeneic pancreas

- transplantations in spontaneously type 2 diabetic Torii rats. *Transplant Proc.* 2008; 40(2): 438-40. [PMID: 18374094]
43. Okuno T, Oku H, Sugiyama T, Ikeda T. Electroretinographic study of spontaneously diabetic Torii rats. *Doc Ophthalmol.* 2008; 117: 191-6. [PMID: 18343964]
44. Fuse M, Yokoi N, Shinohara M, Masuyama T, Kitazawa R, Kitazawa S, Seino S. Identification of a major locus for islet inflammation and fibrosis in the spontaneously diabetic Torii rat. *Physiol Genomics.* 2008; 35(1): 96-105. [PMID: 18612083]
45. Fukumoto M, Takai S, Ishizaki E, Sugiyama T, Oku H, Jin D, Sakaguchi M, Sakonjo H, Ikeda T, Miyazaki M. Involvement of angiotensin II-dependent vascular endothelial growth factor gene expression via NADPH oxidase in the retina in a type 2 diabetic rat model. *Curr Eye Res.* 2008; 33(10): 885-91 [PMID: 18853323]
46. Morinaga H, Yamamoto H, Sakata K, Fukuda S, Ito M, Sasase T, Miyajima K, Ueda N, Ohta T, Matsushita M. Characterization of hepatic glucose metabolism disorder with the progress of diabetes in male Spontaneously Diabetic Torii rats. *J Vet Med Sci.* 2008; 70(11): 1239-45. [PMID: 19057144]
47. Hasegawa G, Fukui M, Hosoda H, Asano M, Harusato I, Tanaka M, Shiraiishi E, Senmaru T, Sakabe K, Yamasaki M, Kitawaki J, Fujinami A, Ohta M, Obayashi H, Nakamura N. Telmisartan, an angiotensin II type 1 receptor blocker, prevents the development of diabetes in male Spontaneously Diabetic Torii rats. *Eur J Pharmacol.* 2009; 605(1-3): 164-9. [PMID: 19171132]
48. Jin D, Takai S, Sugiyama T, Hayashi T, Fukumoto M, Oku H, Kitaura Y, Ikeda T, Miyazaki M. Long-Term Angiotensin II Blockade May Improve Not Only Hyperglycemia but Also Age-Associated Cardiac Fibrosis. *J Pharmacol Sci.* 2009; 109(2): 275-84. [PMID: 19202318]
49. Hamada Y, Fujii H, Fukagawa M. Role of oxidative stress in diabetic bone disorder. *Bone.* 2009; 45(Suppl.1): S35-8.
50. Sasase T, Morinaga H, Abe T, Miyajima K, Ohta T, Shinohara M, Matsushita M, Kakehashi A. Protein kinase C beta inhibitor prevents diabetic peripheral neuropathy, but not histopathological abnormalities of retina in Spontaneously Diabetic Torii rat. *Diabetes Obes Metab.* 2009; 11(11): 1084-7. [PMID: 19614949]
51. 佐藤江里, 田村綾女, 丹藤雄介, 須田俊宏, 中村光男, 山岸昌一. Spontaneously Diabetic Torii (SDT)ラットにおけるセルレイン誘導急性浮腫性膵炎とReceptor for Advanced Glycation Endproducts (RAGE)の発現. *弘前医学.* 2008; 59: 110-7.
52. Matsui K, Oda T, Nishizawa E, Sano R, Yamamoto H, Fukuda S, Sasase T, Miyajima K, Ueda N, Ishii Y, Ohta T, Matsushita M. Pancreatic Function of Spontaneously Diabetic Torii Rats in Pre-Diabetic Stage. *Exp Anim.* 2009; 58(4): 363-74. [PMID: 19654434]
53. Inokuchi C, Ueda H, Hamaguchi T, Miyagawa J, Shinohara M, Okamura H, Namba M. Role of macrophages in the development of pancreatic islet injury in spontaneously diabetic torii rats. *Exp Anim.* 2009; 58(4): 383-94. [PMID: 19654436]
54. Morinaga H, Ohta T, Matsui K, Sasase T, Fukuda S, Ito M, Ueda M, Ishii Y, Miyajima K, Matsushita M. Effect of food restriction on adipose tissue in spontaneously diabetic Torii fatty rats. *Exp Diabetes Res.* 2009; 2009: Article ID 715057. [PMID: 19696902]
55. Fukuda M, Nakanishi Y, Fuse M, Yokoi N, Hamada Y, Fukagawa M, Negi A, Nakamura M. Altered expression of aquaporins 1 and 4 coincides with neurodegenerative events in retinas of spontaneously diabetic Torii rats. *Exp Eye Res.* 2010; 90(1): 17-25. [PMID: 19748503]
56. Matsumoto Y, Torimoto K, Matsuyoshi H, Hirayama A, Fujimoto K, Yoshimura N, Hirao Y. Long-term effects of diabetes mellitus on voiding function in a new model of type 2 diabetes mellitus, the Spontaneously Diabetic Torii (SDT) rat. *Biomed Res.* 2009; 30(6): 331-5. [PMID: 20051641]
57. Fujii H, Kono K, Nakai K, Goto S, Komaba H, Hamada Y, Shinohara M, Kitazawa R, Kitazawa S, Fukagawa M. Oxidative and Nitrosative Stress and Progression of Diabetic Nephropathy in Type 2 Diabetes. *Am J Nephrol.* 2010; 31(4): 342-52. [PMID: 20224273]
58. 秋元敏雄. 非肥満糖尿病モデル動物. *日本臨床.* 2008; 66巻(増刊号3): 611-5.
59. 中村二郎. 糖尿病合併症のモデル動物. *日本臨床.* 2008; 66巻(増刊号3): 623-7.
60. Sasase T. *J Ophthalmol.* 2010; 2010: 615641 (7pages). Pathophysiological characteristics of diabetic ocular complications in spontaneously diabetic Torii rat. [PMID: 20508774]
61. Ishii Y, Ohta T, Sasase T, Morinaga H, Hata T, Miyajima K, Katusda Y, Masuyama T, Shinohara M, Kakutani M, Matsushita M. A high-fat diet inhibits the progression of diabetes mellitus in type 2 diabetic rats. *Nutr Res.* 2010; 30(7): 483-91. [PMID: 20797481]
62. Fukuda M, Naka M, Mizokami J, Negi A, Nakamura M.

- Diabetes induces expression of aquaporin-0 in the retinal nerve fibers of spontaneously diabetic Torii rats. *Exp Eye Res.* 2011; 92(3): 195-201. [PMID: 21232536]
63. Masami Shinohara. Establishment and Clinical Features in Spontaneously Diabetic Torii Rat. *The Open Diabetes J.* 2011; 4: 18-20.
 64. Norihide Yokoi, Masanori Fuse, Susumu Seino. Genetics of the Spontaneously Diabetic Torii Rat. *The Open Diabetes J.* 2011; 4: 21-5.
 65. Taku Masuyama. Characteristics of Diabetes in the SDT Rat. *The Open Diabetes J.* 2011; 4: 26-9.
 66. Sumiaki Fukuda, Katsuhiko Miyajima, Tomohiko Sasase, Takeshi Ohta. Spontaneously Diabetic Torii *Lepr^{fa}* (SDT Fatty) Rat: A Novel Model of Obese Type 2 Diabetes. *The Open Diabetes J.* 2011; 4: 30-6.
 67. Akihiro Kakehashi. Diabetic Ocular Complications in the SDT Rat. *The Open Diabetes J.* 2011; 4: 37-40.
 68. Fumihiko Toyoda, Akihiro Kakehashi, Kana Hashimoto, Nozomi Kinoshita, Chiho Kanbara, Hiroko Yamagami, Hiroyuki Tamemoto, San-e Ishikawa, Yoh Dobashi, Masanobu Kawakami, Yasunori Kanazawa. Accumulation of AGEs and VEGF in Eyes of SDT Rats. *The Open Diabetes J.* 2011; 4: 41-4.
 69. Takeshi Ohta, Tomohiko Sasase. Diabetic Nephropathy in Spontaneously Diabetic Torii (SDT) Rats. *The Open Diabetes J.* 2011; 4: 45-9.
 70. Tomohiko Sasase, Takeshi Ohta. Diabetic Neuropathy in Spontaneously Diabetic Torii Rat. *The Open Diabetes J.* 2011; 4: 50-4.
 71. Yasuko Mera, Hisayo Morinaga, Takeshi Ohta, Tomohiko Sasase. Glucose and Lipid Metabolism in Spontaneously Diabetic Torii Rat. *The Open Diabetes J.* 2011; 4: 55-9.
 72. Masami Shinohara, Toshihiro Oikawa, Kahei Sato, Yasunori Kanazawa. Effect of Oophorectomy and Estrogen Administration on Diabetic Pathogenesis in Female Spontaneously Diabetic Torii Rats. *The Open Diabetes J.* 2011; 4: 96-100.
 73. Akihiro Kakehashi, Mikiko Takezawa, Fumihiko Toyoda, Nozomi Kinoshita, Chiho Kambara, Hiroko Yamagami, Noriaki Kato, San-e Ishikawa, Masanobu Kawakami, Yasunori Kanazawa. Aldose Reductase Inhibitor Fidarestat Prevents Diabetic Ocular Complications in Spontaneously Diabetic Torii Rats. *The Open Diabetes J.* 2011; 4: 101-7.
 74. Fumihiko Toyoda, Akihiro Kakehashi, Ayumi Ota, Nozomi Kinoshita, Chiho Kambara, Hiroko Yamagami, Hiroyuki Tamemoto, Hiroto Ueba, Yoh Dobashi, San-e Ishikawa, Masanobu Kawakami, Yasunori Kanazawa. Prevention of Proliferative Diabetic Retinopathy and Cataract in SDT Rats with Aminoguanidine, an Anti-Advanced Glycation End Product Agent. *The Open Diabetes J.* 2011; 4: 108-13.
 75. Nozomi Kinoshita, Akihiro Kakehashi, Yoh Dobashi, Ryuichiro Ono, Fumihiko Toyoda, Chiho Kambara, Hiroko Yamagami, Yusuke Kitazume, Eiji Kobayashi, Yasuhiro Osakabe, Motoshige Kudo, Masanobu Kawakami, Yasunori Kanazawa. Effects of Topical Nipradilol on Early Diabetic Retinopathy in SDT Rats. *The Open Diabetes J.* 2011; 4: 114-8.
 76. Hiroaki Mizukami, Masashi Urabe, Akihiro Kume, Keiichi Ozawa. Gene Therapy for Diabetic Retinopathy in Animal Models and Humans. *The Open Diabetes J.* 2011; 4: 119-22.
 77. Takeshi Ohta, Katsuhiko Miyajima, Takahisa Yamada. Pathophysiological Changes in Pre-Diabetic Stage of Spontaneously Diabetic Torii (SDT) Rats. *J Anim Vet Adv.* 2011; 10(7): 813-7.
 78. Goto S, Fujii H, Kono K, Nakai K, Hamada Y, Yamato H, Shinohara M, Kitazawa R, Kitazawa S, Nishi S, Fukagawa M. Carvedilol ameliorates low-turnover bone disease in non-obese type 2 diabetes. *Am J Nephrol.* 2011; 34(3): 281-90. [PMID: 21829007]
 79. Kishi H, Komatsu W, Miura Y, Kawanobe T, Nonaka T, Ohhira S. Effects of habitual perilla (shiso) tea drinking on the incidence of diabetes mellitus in spontaneously diabetic Torii (SDT)rats. *Biosci Biotechnol Biochem.* 2010; 74(12): 2490-3. [PMID: 21150101]
 80. Masuda T, Muto S, Fujisawa G, Iwazu Y, Kimura M, Kobayashi T, Nonaka-Sarukawa M, Sasaki N, Watanabe Y, Shinohara M, Murakami T, Shimada K, Kobayashi E, Kusano E. Heart angiotensin II-induced cardiomyocyte hypertrophy suppresses coronary angiogenesis and progresses diabetic cardiomyopathy. *Am J Physiol Heart Circ Physiol.* 2012 Mar 2. [PMID: 22389386]

(2012.04)

