

□ 免疫不全モデル<C.B-17/Icr-scid/scidJcl> 富士生育場

| 検査月 | | '21.3 | '21.2 | '21.1 | '20.12 | '20.11 | '20.10 | '20.9 | '20.8 | '20.7 | '20.6 | '20.5 | '20.4 |
|----------------------------------|---|-------|-------|-------|--------|--------|--------|-------|-------|-------|-------|-------|-------|
| 培養検査 | | | | | | | | | | | | | |
| Dermatophytes | ○ | | | | | 0/5 | | | | | | 0/5 | |
| <i>Citrobacter rodentium</i> | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| <i>Pasteurella pneumotropica</i> | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| <i>Corynebacterium kutscheri</i> | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| <i>Pseudomonas aeruginosa</i> | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| <i>Salmonella</i> spp. | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| <i>Staphylococcus aureus</i> | ■ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| <i>Mycoplasma pulmonis</i> | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| 血清反応 | | | | | | | | | | | | | |
| <i>Corynebacterium kutscheri</i> | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| <i>Salmonella typhimurium</i> | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| <i>Clostridium piliforme</i> | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| <i>Mycoplasma pulmonis</i> | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| Mouse hepatitis virus | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| Sendai virus | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| Ectromelia virus | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| Mouse adenovirus(FL) | ◎ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 |
| Lymphocytic c. virus | ☆ | | | 0/5 | | | 0/5 | | | 0/5 | | | 0/5 |
| Hantavirus | ☆ | | | 0/5 | | | 0/5 | | | 0/5 | | | 0/5 |
| 鏡検 | | | | | | | | | | | | | |
| <i>Giardia muris</i> | ◇ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | |
| <i>Spironucleus muris</i> | ◇ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | |
| <i>Syphacia</i> spp. | ◇ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | |
| <i>Aspicularis tetraptera</i> | ◇ | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | | 0/5 | 0/5 | 0/5 | 0/5 | 0/5 | |
| Ectoparasits | ○ | | | | | | 0/5 | | | | | | 0/5 |
| Intestinal protozoa | ○ | | | | | | 0/5 | | | | | | 0/5 |
| Pinworm | ○ | | | | | | 0/5 | | | | | | 0/5 |
| PCR | | | | | | | | | | | | | |
| <i>Pneumocystis murina</i> | □ | | | | | | 0/5 | | | | | | 0/5 |
| <i>Helicobacter hepaticus</i> | ☆ | | | 0/5 | | | 0/5 | | | 0/5 | | | 0/5 |
| <i>Helicobacter bilis</i> | ☆ | | | 0/5 | | | 0/5 | | | 0/5 | | | 0/5 |
| 血清反応 | | | | | | | | | | | | | |
| EDIM virus(Rotavirus) | △ | | | | | | 0/5 | | | | | | |
| Pneumonia virus of mice | △ | | | | | | 0/5 | | | | | | |
| Minute virus of mice | △ | | | | | | 0/5 | | | | | | |
| Mouse cytomegalovirus | △ | | | | | | 0/5 | | | | | | |
| Mouse encephalomyelitis virus | △ | | | | | | 0/5 | | | | | | |
| Reovirus type3 | △ | | | | | | 0/5 | | | | | | |
| CAR bacillus | △ | | | | | | 0/5 | | | | | | |

注:記号は年間の検査頻度。◎:毎月,○:年2回,□:年2回(免疫不全動物のみ),△:年1回,◇:年10回,☆:年4回,■:毎月(免疫不全動物のみ)

※同室で飼育管理する同動物にて検査実施