

## 【OVA-IgE\*マウス参考文献リスト】

\*国際命名規約による系統名 : BALB/cA-Tg(IgE-H01-4)Rin Tg(IgE-kL01-4)Rin/Jcl  
(※発行年度順。動物カタログのReferencesとは異なります。)

### 2003

Sato E, Hirahara K, Wada Y, Yoshitomi T, Azuma T, Matsuoka K, Kubo S, Taya C, Yonekawa H, Karasuyama H, Shiraishi A. Chronic inflammation of the skin can be induced in IgE transgenic mice by means of a single challenge of multivalent antigen. *J Allergy Clin Immunol.* 2003; 111(1): 143-8. [PMID: 12532110]

### 2005

Omata N, Ohshima Y, Yasutomi M, Yamada A, Karasuyama H, Mayumi M. Ovalbumin-specific IgE modulates ovalbumin-specific T-cell response after repetitive oral antigen administration. *J Allergy Clin Immunol.* 2005; 115(4): 822-7. [PMID: 15806005]

### 2017

Sato A, Ebina K. A biotinylated peptide, BP21, as a novel potent anti-anaphylactic agent targeting platelet-activating factor. *J Pept Sci.* 2017 Jun 19. doi: 10.1002/psc.3019. [PMID: 28627122]

(2021. 3)

