

【ODS ラット参考文献リスト】

(※発行年度順 動物カタログのReferencesとは異なります。)

1980

牧野進・片桐謙、骨形成異常ラット 1980, 実験動物.
1980;29:374-375. [PMID: None]

1985

Horio F, Ozaki K, Yoshida A, Makino S, Hayashi Y. Requirement for ascorbic acid in a rat mutant unable to synthesize ascorbic acid. *J Nutr.* 1985 Dec;115(12):1630-40. [PMID: 4067654]

1989

Tsuji M, Ito Y, Terada N, Mori H. Ovarian aromatase activity in scorbutic mutant rats unable to synthesize ascorbic acid. *Acta Endocrinol (Copenh).* 1989 Oct;121(4):595-602. [PMID: 2800929]

1990

Kosaka H, Tsuda M, Kurashima Y, Esumi H, Terada N, Ito Y, Uozumi M. Marked nitrosation by stimulation with lipopolysaccharide in ascorbic acid-deficient rats. *Carcinogenesis.* 1990 Oct;11(10):1887-9. [PMID: 2208602]
T Konishi. What is the ODS rat?: Historical description of the characterization studies. Vitamin C and the Scurvy-Prone ODS Rat. 1990;3-2 [PMID: None]

1991

Mori S, Murai T, Takeuchi Y, Hosono M, Ohhara T, Makino S, Hayashi Y, Shibata MA, Kurata Y, Hagiwara A, Fukushima S. No promotion of urinary bladder carcinogenesis by sodium L-ascorbate in male ODS/Shi-od/od rats lacking L-ascorbic acid-synthesizing ability. *Carcinogenesis.* 1991 Oct;12(10):1869-73. [PMID: 1934267]

1992

Kimura H, Yamada Y, Morita Y, Ikeda H, Matsuo T. Dietary ascorbic acid depresses plasma and low density lipoprotein lipid peroxidation in genetically scorbutic rats. *J Nutr.* 1992 Sep;122(9):1904-9. [PMID: 1512641]

Ito Y, Tsuji M, Terada N, Miyano M, Mori H. Testosterone production in mature scorbutic mutant rats unable to synthesize ascorbic acid. *Int J Androl.* 1992 Apr;15(2):160-9.

[PMID: 1572729]

Ito Y, Tsuji M, Miyano M, Wakabayashi K, Mori H. A delayed response to acute stimulation with human chorionic gonadotropin in scorbutic rats. *Exp Clin Endocrinol.* 1992;99(1):49-53. [PMID: 1628698]

Kawai T, Nishikimi M, Ozawa T, Yagi K. A missense mutation of L-gulono-gamma-lactone oxidase causes the inability of scurvy-prone osteogenic disorder rats to synthesize L-ascorbic acid. *J Biol Chem.* 1992 Oct 25;267(30):21973-6. [PMID: 1400508]

1993

Kawaguchi M, Hayakawa F, Kamiya Y, Fujii T, Ito J, Sakuma N, Fujinami T. Effect of ascorbic acid on pituitary prolactin secretion in the non-ascorbate synthesizing Osteogenic Disorder Shionogi (ODS) rat. *Life Sci.* 1993;52(11):975-9. [PMID: 8445988]

Mori T, Kitamura R, Imaoka S, Funae Y, Matsubara T, Kamataki T. Increased CYP1A2 content and capacity to activate Glu-P-1 and Trp-P-2 in liver microsomes of scorbutic ODS rats. *Carcinogenesis.* 1993 Dec;14(12):2471-5. [PMID: 8269614]

Suzuki H, Torii Y, Hitomi K, Tsukagoshi N. Ascorbate-dependent elevation of mRNA levels for cytochrome P450s induced by polychlorinated biphenyls. *Biochem Pharmacol.* 1993 Jul 6;46(1):186-9. [PMID: 8347131]

1994

Onodera K, Kasai S, Kato K, Sawa M, Mito M, Nozawa M. Effects of intrasplenic hepatocyte transplantation in rats congenitally deficient in ascorbic acid biosynthetic enzyme. *Cell Transplant.* 1994;3 Suppl 1:S31-4. [PMID: 8162304]

1995

Yamaguchi T, Horio F, Hashizume T, Tanaka M, Ikeda S, Kakinuma A, Nakajima H. Bilirubin is oxidized in rats treated with endotoxin and acts as a physiological antioxidant synergistically with ascorbic acid in vivo. *Biochem Biophys Res Commun.* 1995 Sep 5; 214(1):11-9. [PMID: 7669030]

Onodera K, Kasai S, Kato K, Nakazawa F, Mito M. Long-term effect of intrasplenic hepatocyte transplantation in congenitally ascorbic acid biosynthetic enzyme-deficient rats.



日本クレア株式会社

東京 A D 部 TEL. 03-5704-7050 FAX. 03-3792-2032
大阪 A D 部 TEL. 06-4861-7101 FAX. 06-4861-7108

<http://www.CLEA-Japan.com>

仙台出張所 TEL. 022-352-4417 FAX. 022-352-4419
札幌出張所 TEL. 011-631-2725 FAX. 011-644-9209

- Cell Transplant. 1995;4 Suppl 1:S41-3. [PMID: 7795904]
 Togari A, Arai M, Nakagawa S, Banno A, Aoki M, Matsumoto S. Alteration of bone status with ascorbic acid deficiency in ODS (osteogenic disorder Shionogi) rats. Jpn J Pharmacol. 1995 Jul;68(3):255-61. [PMID: 7474548]
- Sinclair PR, Gorman N, Sinclair JF, Walton HS, Bement WJ, Lambrecht RW. Ascorbic acid inhibits chemically induced uroporphyrin in ascorbate-requiring rats. Hepatology. 1995 Aug;22(2):565-72. [PMID: 7635426]

1996

- Ikeda S, Horio F, Yoshida A, Kakinuma A. Ascorbic acid deficiency reduces hepatic apolipoprotein A-I mRNA in scurvy-prone ODS rats. J Nutr. 1996 Oct;126(10):2505-11. [PMID: 8857511]

Matsumoto S, Yamada K, Arai M, Togari A, Ito R, Miyajima K, Iizuka T. Short-Term Effect of Ascorbic Acid-Deficiency on the Skull, Mandible and Long Bones in Growing ODS Rats. Oral Therapeutics and Pharmacology. 1996 Volume 15 Issue 1 Pages 27-32 [PMID: none]

1997

- Murai T, Mori S, Hosono M, Takashima A, Machino S, Oohara T, Yamashita H, Makino S, Matsuda T, Wanibuchi H, Fukushima S. Strain differences in sensitivity to the promoting effect of sodium L-ascorbate in a two-stage rat urinary bladder carcinogenesis model. Jpn J Cancer Res. 1997 Mar;88(3):245-53. [PMID: 9140108]

Ikeda S, Takasu M, Matsuda T, Kakinuma A, Horio F. Ascorbic acid deficiency decreases the renal level of kidney fatty acid-binding protein by lowering the alpha₂u-globulin gene expression in liver in scurvy-prone ODS rats. J Nutr. 1997 Nov;127(11):2173-8. [PMID: 9349844]

Nakazawa F, Sawa M, Jiang B, Onodera K, Kasai S, Mito M. Functional assessment of proliferating hepatocytes stimulated by hepatic stimulatory substance in ascorbic acid biosynthetic enzyme-deficient rats. Hepatology. 1997 Aug;26(2):437-43. [PMID: 9252156]

Yamaguchi T, Hashizume T, Tanaka M, Nakayama M, Sugimoto A, Ikeda S, Nakajima H, Horio F. Bilirubin oxidation provoked by endotoxin treatment is suppressed by feeding ascorbic acid in a rat mutant unable to synthesize ascorbic acid. Eur J Biochem. 1997 Apr 15;245(2):233-40. [PMID: 9151948]

Tanaka K, Hashimoto T, Tokumaru S, Iguchi H, Kojo S. Interactions between vitamin C and vitamin E are observed in tissues of inherently scorbutic rats. J Nutr. 1997 Oct;127(10):2060-4. [PMID: 9311965]

1998

- Tanaka K, Tokumaru S, Kojo S. Changes in the level of sialic acid in plasma, brain and liver of inherently scorbutic rats during vitamin C and E deficiencies. Biosci Biotechnol Biochem. 1998 Aug;62(8):1592-3. [PMID: 9757565]

1999

- Smith D, Shang F, Nowell TR, Asmundsson G, Perrone G, Dallal G, Scott L, Kelliher M, Gindelsky B, Taylor A. Decreasing ascorbate intake does not affect the levels of glutathione, tocopherol or retinol in the ascorbate-requiring osteogenic disorder shionogi rats. J Nutr. 1999 Jun;129(6):1229-32. [PMID: 10356092]

2001

- Horio F, Hayashi K, Mishima T, Takemori K, Oshima I, Makino S, Kakinuma A, Ito H. A newly established strain of spontaneously hypertensive rat with a defect of ascorbic acid biosynthesis. Life Sci. 2001 Sep 7;69(16):1879-90. [PMID: 11693268]

Vergely C, Perrin C, Laubriet A, Oudot A, Zeller M, Guilland JC, Rochette L. Postischemic myocardial recovery and oxidative stress status of vitamin C deficient rat hearts. Cardiovasc Res. 2001 Jul;51(1):89-99. [PMID: 11399251]

Ueta E, Suzuki E, Nanba E, Tadokoro Y, Otsuka Y, Kurata T. Regulation of cigarette smoke-induced cytochrome P4501A1 gene expression in osteogenic disorder Shionogi rat liver and in lung by large ascorbic acid dose. Biosci Biotechnol Biochem. 2001 Nov;65(11):2548-51. [PMID: 11791731]

2002

- Kamiyama S, Howlader ZH, Ito M, Komai M, Furukawa Y. Effect of deficiency of vitamins C and/or E on lipoprotein metabolism in osteogenic disorder Shionogi rat, a strain unable to synthesize ascorbic acid. J Nutr Sci Vitaminol (Tokyo). 2002 Apr;48(2):95-101. [PMID: 12171442]

2003

- Sekine S, Kubo K, Tadokoro T, Maekawa A, Saito M. Dietary docosahexaenoic acid-induced production of tissue lipid peroxides is not suppressed by higher intake of ascorbic acid in genetically scorbutic Osteogenic Disorder Shionogi/Shiodod rats. Br J Nutr. 2003 Aug;90(2):385-94. [PMID: 12908899]

Goto A, Tsukamoto I. Increase in tartrate-resistant acid phosphatase of bone at the early stage of ascorbic acid deficiency in the ascorbate-requiring Osteogenic Disorder



日本クレア株式会社

東京 A D 部 TEL. 03-5704-7050 FAX. 03-3792-2032
 大阪 A D 部 TEL. 06-4861-7101 FAX. 06-4861-7108

<http://www.CLEA-Japan.com>

仙台出張所 TEL. 022-352-4417 FAX. 022-352-4419
 札幌出張所 TEL. 011-631-2725 FAX. 011-644-9209

Shionogi (ODS) rat. *Calcif Tissue Int.* 2003 Aug;73(2):180-5. [PMID: 14565600]

Ueta E, Tadokoro Y, Yamamoto T, Yamane C, Suzuki E, Nanba E, Otsuka Y, Kurata T. The effect of cigarette smoke exposure and ascorbic acid intake on gene expression of antioxidant enzymes and other related enzymes in the livers and lungs of Shionogi rats with osteogenic disorders. *Toxicol Sci.* 2003 Jun;73(2):339-47. Epub 2003 Apr 15. [PMID: 12700399]

2004

Vergely C, Goirand F, Ecarnot-Laubriet A, Renard C, Moreau D, Guillard JC, Dumas M, Rochette L. Vitamin C deficiency exerts paradoxical cardiovascular effects in osteogenic disorder Shionogi (ODS) rats. *J Nutr.* 2004 Apr;134(4):729-35. [PMID: 15051818]

2005

Toyada-Ono Y, Maeda M, Nakao M, Yoshimura M, Sugiura-Tomimori N, Fukami H, Nishioka H, Miyashita Y, Kojo S. A novel vitamin C analog, 2-O-(beta-D-Glucopyranosyl) ascorbic acid: examination of enzymatic synthesis and biological activity. *J Biosci Bioeng.* 2005 Apr;99(4):361-5. [PMID: 16233802]

2006

Horio F, Kiyama K, Kobayashi M, Kawai K, Tsuda T. Ascorbic acid deficiency stimulates hepatic expression of inflammatory chemokine, cytokine-induced neutrophil chemoattractant-1, in scurvy-prone ODS rats. *J Nutr Sci Vitaminol (Tokyo).* 2006 Feb;52(1):28-32. [PMID: 16637227]
Ohta Y, Chiba S, Imai Y, Kamiya Y, Arisawa T, Kitagawa A. Ascorbic acid deficiency aggravates stress-induced gastric mucosal lesions in genetically scorbustic ODS rats. *Inflammopharmacology.* 2006 Dec;14(5-6):231-5. [PMID: 17186183]

Mori S, Murai T, Wanibuchi H, Hagiwara A, Puatanachokchai R, Fukushima S. Susceptibility of Four F1 Hybrids of Male Rats to the Promoting Effects of Sodium L-ascorbate in Two-Stage Urinary Bladder Carcinogenesis. *J Toxicol Pathol.* 2006 Volume 19 Issue 2 Pages 87-91 [PMID: none]

2007

Sekine S, Kubo K, Tadokoro T, Saito M. Effect of Docosahexaenoic Acid Ingestion on Temporal Change in Urinary Excretion of Mercapturic Acid in ODS Rats. *J Clin Biochem Nutr.* 2007 Nov;41(3):184-90. [PMID: 18299714]

Nishijima K, Kuwahara S, Ohno T, Miyaishi O, Ito Y, Makino

S, Sumi Y, Tanaka S. Natural dental caries in molars of osteogenic disorder Shionogi rats. *Comp Med.* 2007 Dec;57(6):590-3. [PMID: 18246872]

Ikeda S1, Abe C, Uchida T, Ichikawa T, Horio F, Yamashita K. Dietary sesame seed and its lignan increase both ascorbic acid concentration in some tissues and urinary excretion by stimulating biosynthesis in rats. *J Nutr Sci Vitaminol (Tokyo).* 2007 Oct;53(5):383-92. [PMID: 18079604]

2008

Nakano M, Onodera A, Saito E, Tanabe M, Yajima K, Takahashi J, Nguyen VC. Effect of astaxanthin in combination with alpha-tocopherol or ascorbic acid against oxidative damage in diabetic ODS rats. *J Nutr Sci Vitaminol (Tokyo).* 2008 Aug;54(4):329-34. [PMID: 18797156]

2011

Hie M, Tsukamoto I. Vitamin C-deficiency stimulates osteoclastogenesis with an increase in RANK expression. *J Nutr Biochem.* 2011 Feb;22(2):164-71. [PMID: 20444587]
Hasegawa T, Li M, Hara K, Sasaki M, Tabata C, de Freitas PH, Hongo H, Suzuki R, Kobayashi M, Inoue K, Yamamoto T, Oohata N, Oda K, Akiyama Y, Amizuka N. Morphological assessment of bone mineralization in tibial metaphyses of ascorbic acid-deficient ODS rats. *Biomed Res.* 2011 Aug;32(4):259-69. [PMID: 21878733]

2014

Kobayashi M, Hoshinaga Y, Miura N, Tokuda Y, Shigeoka S, Murai A, Horio F. Ascorbic acid deficiency decreases hepatic cytochrome P-450, especially CYP2B1/2B2, and simultaneously induces heme oxygenase-1 gene expression in scurvy-prone ODS rats. *Biosci Biotechnol Biochem.* 2014;78(6):1060-6. [PMID: 25036135]

2015

Tokuda Y, Miura N, Kobayashi M, Hoshinaga Y, Murai A, Aoyama H, Ito H, Morita T, Horio F. Ascorbic acid deficiency increases endotoxin influx to portal blood and liver inflammatory gene expressions in ODS rats. *Nutrition.* 2015 Feb;31(2):373-9. [PMID: 25592017]

Horio F. Regulatory mechanisms of vitamin C biosynthesis and physiological functions of vitamin C relating to disease prevention. *Vitamins* Volume 89 (2015) Issue 11 Pages 528-536. [PMID: None]

2017

Sato A, Ebina K. A biotinylated peptide, BP21, as a novel



日本クレア株式会社

東京 A D 部 TEL. 03-5704-7050 FAX. 03-3792-2032
大阪 A D 部 TEL. 06-4861-7101 FAX. 06-4861-7108

<http://www.CLEA-Japan.com>

仙台出張所 TEL. 022-352-4417 FAX. 022-352-4419
札幌出張所 TEL. 011-631-2725 FAX. 011-644-9209

- potent anti-anaphylactic agent targeting platelet-activating factor. *J Pept Sci.* 2017 Jun 19. doi: 10.1002/psc.3019. [PMID: 28627122]
- Hasegawa T, Miyamoto-Takasaki Y, Abe M, Qiu Z, Yamamoto T, Yoshida T, Yoshino H, Hongo H, Yokoyama A, Sasaki M, Kuroshima S, Hara K, Kobayashi M, Akiyama Y, Maeda T, Luiz de Freitas PH, Li M, Amizuka N. Histochemical examination on principal collagen fibers in periodontal ligaments of ascorbic acid-deficient ODS-od/od rats. *Microscopy (Oxf).* 2019 Jul 3. [PMID: 31271212]
- Hiroki Motoji , Masahiro To , Kouki Hidaka , Masato Matsuo. Vitamin C and Eggshell Membrane Facilitate Orthodontic Tooth Movement and Induce Histological Changes in the Periodontal Tissue. *J Oral Biosci.* 2020 Mar;62(1):80-87. [PMID: 32032751]

(2021.3)

2018

Kawade N, Tokuda Y, Tsujino S, Aoyama H, Kobayashi M, Murai A, Horio F. Dietary Intake of Ascorbic Acid Attenuates Lipopolysaccharide-Induced Sepsis and Septic Inflammation in ODS Rats. *J Nutr Sci Vitaminol (Tokyo).* 2018;64(6):404-411. [PMID: 30606963]

2019

Kawade N, Murai A, Suzuki W, Tokuda Y, Kobayashi M, Horio F. Ascorbic acid deficiency increases hepatic expression of acute phase proteins through the intestine-derived IL-6 and hepatic STAT3 pathway in ODS rats. *J Nutr Biochem.* 2019 Aug;70:116-124. [PMID: 31200316]

Hasegawa T, Miyamoto-Takasaki Y, Abe M, Qiu Z, Yamamoto T, Yoshida T, Yoshino H, Hongo H, Yokoyama A, Sasaki M, Kuroshima S, Hara K, Kobayashi M, Akiyama Y, Maeda T, Luiz de Freitas PH, Li M, Amizuka N. Histochemical examination on principal collagen fibers in periodontal ligaments of ascorbic acid-deficient ODS-od/od rats. *Microscopy (Oxf).* 2019 Oct 9;68(5):349-358. [PMID: 31271212]

Takeshita N, Kawade N, Suzuki W, Hara S, Horio F, Ichinose H. Deficiency of ascorbic acid decreases the contents of tetrahydrobiopterin in the liver and the brain of ODS rats. *Neurosci Lett.* 2020 Jan 10;715:134656. [PMID: 31794791]

2020

Naoki Takeshita, Noe Kawade, Wakana Suzuki, Satoshi Hara, Fumihiko Horio, Hiroshi Ichinose. Deficiency of Ascorbic Acid Decreases the Contents of Tetrahydrobiopterin in the Liver and the Brain of ODS Rats. *Neurosci Lett.* 2020 Jan 10;715:134656. [PMID: 31794791]

Yosuke Ishida , Shingo Hino , Tatsuya Morita , Saiko Ikeda , Naomichi Nishimura. Hydrogen Produced in Rat Colon Improves *in vivo* Reduction-Oxidation Balance Due to Induced Regeneration of α -tocopherol. *Br J Nutr.* 2020 Mar



日本クレア株式会社

東京 A D 部 TEL. 03-5704-7050 FAX. 03-3792-2032
大阪 A D 部 TEL. 06-4861-7101 FAX. 06-4861-7108<http://www.CLEA-Japan.com>仙台出張所 TEL. 022-352-4417 FAX. 022-352-4419
札幌出張所 TEL. 011-631-2725 FAX. 011-644-9209