

【SKG マウス参考文献リスト】

(※発行年度順。動物カタログのReferencesとは異なります。)

2001

Yamaguchi M, Hirai K, Komiya A, Miyamasu M, Furumoto Y, Teshima R, Ohta K, Morita Y, Galli SJ, Ra C, Yamamoto K. Regulation of mouse mast cell surface Fc epsilon RI expression by dexamethasone. *Int Immunol.* 2001 Jul;13(7):843-51. [PMID: 11431414]

2003

Sakaguchi N, Takahashi T, Hata H, Nomura T, Tagami T, Yamazaki S, Sakihama T, Matsutani T, Negishi I, Nakatsuru S, Sakaguchi S. Altered thymic T-cell selection due to a mutation of the ZAP-70 gene causes autoimmune arthritis in mice. *Nature.* 2003; 426(6965): 454-60. [PMID: 14647385]

2004

Hata H, Sakaguchi N, Yoshitomi H, Iwakura Y, Sekikawa K, Azuma Y, Kanai C, Moriizumi E, Nomura T, Nakamura T, Sakaguchi S. Distinct contribution of IL-6, TNF-alpha, IL-1, and IL-10 to T cell-mediated spontaneous autoimmune arthritis in mice. *J Clin Invest.* 2004; 114(4): 582-8. [PMID: 15314695]

Zhao W, Zhang L, Kobari Y, Misaki Y, Yamamoto K. Analysis of accumulating clonotypes of T cell in joints of a spontaneous murine model of rheumatoid arthritis. *Cell Mol Immunol.* 2004; 1(4): 300-3. [PMID: 16225773]

坂口教子, 坂口志文. 関節炎モデルマウスSKG とZAP-70異常. 炎症と免疫. 2004; 12(3): 345-50.

坂口志文, 坂口教子. 関節リウマチ動物モデル: 自然発症 -SKG マウスとZAP-70異常. 医学のあゆみ. 2004; 209(10): 744-8.

2005

坂口教子, 坂口志文. ZAP-70によるT細胞選択偏移と関節リウマチ. *Annual Review 免疫* 2005. 2004: 1-7.

Yoshitomi H, Sakaguchi N, Kobayashi K, Brown GD, Tagami T, Sakihama T, Hirota K, Tanaka S, Nomura T, Miki I, Gordon S, Akira S, Nakamura T, Sakaguchi S. A role for fungal β -glucans and their receptor Dectin-1 in the induction of autoimmune arthritis in genetically susceptible mice. *J Exp Med.* 2005; 201(6): 949-60. [PMID: 15781585]

吉富啓之, 坂口志文. SKGマウス -SKG mice as a model of RA. 日本臨牀. 2005; 63(増刊1): 40-5. [PMID: 15799315]

2006

坂口教子, 坂口志文. 自己免疫疾患モデル動物から学ぶこと (SKGマウス). *medicina* 2006; 43(6): 914-6.

田中 聰, 坂口志文. 単一遺伝子変異による自己免疫性関節炎～新しい関節リウマチモデルマウス. 実験医学. 2006; 24(10): 1540-46.

Kobayashi K, Suda T, Nan-Ya K, Sakaguchi N, Sakaguchi S, Miki I. Cytokine production profile of splenocytes derived from zymosan A-treated SKG mice developing arthritis. *Inflamm Res.* 2006; 55(8): 335-41. [PMID: 16977380]

Shimon Sakaguchi, Noriko Sakaguchi, Hiroyuki Yoshitomi, Hiroshi Hata, Takeshi Takahashi, Takashi Nomura. Spontaneous development of autoimmune arthritis due to genetic anomaly of T cell signal transduction: Part 1. *Semin Immunol.* 2006; 18(4):199-206. [PMID: 16713715]

2007

Hida S, Miura NN, Adachi Y, Ohno N. Cell wall β -glucan derived from *Candida albicans* acts as a trigger for autoimmune arthritis in SKG mice. *Biol Pharm Bull.* 2007; 30(8): 1589-92. [PMID: 17666828]

Hirota K, Hashimoto M, Yoshitomi H, Tanaka S, Nomura T, Yamaguchi T, Iwakura Y, Sakaguchi N, Sakaguchi S. T cell self-reactivity forms a cytokine milieu for spontaneous development of IL-17+ Th cells that cause autoimmune arthritis. *J Exp Med.* 2007; 204(1): 41-7. [PMID: 17227914]

Hirota K, Yoshitomi H, Hashimoto M, Maeda S, Teradaira S, Sugimoto N, Yamaguchi T, Nomura T, Ito H, Nakamura T, Sakaguchi N, Sakaguchi S. Preferential recruitment of CCR6-expressing Th17 cells to inflamed joints via CCL20 in rheumatoid arthritis and its animal model. *J Exp Med.* 2007; 204(12): 2803-12. [PMID: 18025126]

2008

Wakasa-Morimoto C, Toyosaki-Maeda T, Matsutani T, Yoshida R, Nakamura-Kikuoka S, Maeda-Tanimura M, Yoshitomi H, Hirota K, Hashimoto M, Masaki H, Fujii Y, Sakata T, Tsuruta Y, Suzuki R, Sakaguchi N, Sakaguchi S. Arthritis and pneumonitis produced by the same T cell clones from mice with spontaneous autoimmune arthritis. *Int Immunol.* 2008; 20(10): 1331-42. [PMID: 18711120]

2009

Kushida T, Ueda Y, Umeda M, Oe K, Okamoto N, Iida H, Abraham NG, Gershwin ME, Ikebara S. Allogeneic intra-bone marrow transplantation prevents rheumatoid arthritis in SKG/Jcl mice. *J Autoimmun.* 2009; 32(3-4): 216-22. [PMID: 19349145]

Nagate T, Kawai J, Nakayama J. Therapeutic and preventive effects of methotrexate on zymosan-induced arthritis in SKG mice. *J Vet Med Sci.* 2009; 71(6): 713-7. [PMID: 19578278]

2010

Tsunemi S, Iwasaki T, Kitano S, Imado T, Miyazawa K, Sano H. Effects of the novel immunosuppressant FTY720 in a murine rheumatoid arthritis model. *Clin Immunol.* 2010; 136(2): 197-204. [PMID: 20421177]

2011

Ichihara H, Hino M, Makizono T, Umebayashi M, Matsumoto Y, Ueoka R. Inhibitory effects of hybrid liposomes on the growth of synoviocyte causing rheumatoid arthritis. *Bioorg Med Chem Lett.* 2011; 21(1): 207-10. [PMID: 21123065]

Misaki K, Morinobu A, Saegusa J, Kasagi S, Fujita M, Miyamoto Y, Matsuki F, Kumagai S. Histone deacetylase inhibition alters dendritic cells to assume a tolerogenic phenotype and ameliorates arthritis in SKG mice. *Arthritis Res Ther.* 2011; 13(3): R77. [PMID: 21592365]

Bahtiar A, Nakamura T, Kishida K, Katsura J, Nitta M, Ishida-Kitagawa N, Ogawa T, Takeya T. The l-Ser analog #290 promotes bone recovery in OP and RA mice. *Pharmacol Res.* 2011 Sep;64(3):203-9. [PMID: 21605676]

2013

Inoue K, Inoue E, Imai Y. Female sex hormones ameliorate arthritis in SKG mice. *Biochem Biophys Res Commun.* 2013 May 17;434(4):740-5. [PMID: 23583379]

2014

Shiomii A, Usui T, Ishikawa Y, Shimizu M, Murakami K, Mimori T. GM-CSF but not IL-17 is critical for the development of severe interstitial lung disease in SKG mice. *J Immunol.* 2014 Jul 15;193(2):849-59. [PMID: 24951817]

Murata K, Yoshitomi H, Furu M, Ishikawa M, Shibuya H, Ito H, Matsuda S. MicroRNA-451 down-regulates neutrophil chemotaxis via p38 MAPK. *Arthritis Rheumatol.* 2014 Mar;66(3):549-59. [PMID: 24574214]

Ito Y, Hashimoto M, Hirota K, Ohkura N, Morikawa H, Nishikawa H, Tanaka A, Furu M, Ito H, Fujii T, Nomura T, Yamazaki S, Morita A, Vignali DA, Kappler JW, Matsuda S, Mimori T, Sakaguchi N, Sakaguchi S. Detection of T cell responses to a ubiquitous cellular protein in autoimmune disease. *Science.* 2014 Oct 17;346(6207):363-8. doi: 10.1126/science.1259077. [PMID: 25324392]

2015

Matsumoto Y, Ichihara H, Hino M, Umebayashi M, Ueoka R. Therapeutic effects of hybrid liposomes without drugs for rheumatoid arthritis. *Drug Deliv.* 2015;22(5):619-26. [PMID: 24344811]

Nishimura K, Saegusa J, Matsuki F, Akashi K, Kageyama G, Morinobu A. Tofacitinib facilitates the expansion of myeloid-derived suppressor cells and ameliorates arthritis in SKG mice. *Arthritis Rheumatol.* 2015 Apr;67(4):893-902. [PMID: 25545152]

2016

Onishi S, Sakane M, Tsukanishi T, Funayama T, Ozeki E, Hara I, Yamazaki M. Near-infrared fluorescence imaging with indocyanine green-liposomes in a mouse model of rheumatoid arthritis. *Mod Rheumatol.* 2016 May 4:1-6. [PMID: 27141810]

Yamakawa M, Ouhara K, Kajiya M, Munenaga S, Kittaka M, Yamasaki S, Takeda K, Takeshita K, Mizuno N, Fujita T, Sugiyama E, Kurihara H. Porphyromonas gingivalis infection exacerbates the onset of rheumatoid arthritis in SKG mice. *Clin Exp Immunol.* 2016 Nov;186(2):177-189. [PMID: 27465496]

Shimizu T, Takahata M, Kimura-Suda H, Kameda Y, Endo K, Hamano H, Hiratsuka S, Ota M, Sato D, Ito T, Todoh M, Tadano S, Iwasaki N. Autoimmune arthritis deteriorates bone quantity and quality of periarticular bone in a mouse model of rheumatoid arthritis. *Osteoporos Int.* 2016 Oct 4. [PMID: 27704183]

Samra Sardar, Åsa Andersson. Old and new therapeutics for Rheumatoid Arthritis: in vivo models and drug development. *Immunopharmacol Immunotoxicol.* 2016; 38(1):2-13. [PMID: 26769136]

2017

Okano T, Saegusa J, Nishimura K, Takahashi S, Sendo S, Ueda Y, Morinobu A. 3-bromopyruvate ameliorate autoimmune arthritis by modulating Th17/Treg cell differentiation and suppressing dendritic cell activation. *Sci Rep.* 2017 Feb 10;7:42412. [PMID: 28186160]

Takahashi S, Saegusa J, Sendo S, Okano T, Akashi K, Irino Y, Morinobu A. Glutaminase 1 plays a key role in the cell growth of fibroblast-like synoviocytes in rheumatoid arthritis. *Arthritis Res Ther.* 2017 Apr;19(1):76. [PMID: 28399896]

Moriya N, Shibasaki S, Karasaki M, Iwasaki T. The Impact of MicroRNA-223-3p on IL-17 Receptor D Expression in Synovial Cells. *PLoS One.* 2017 Jan;12(1):e0169702. [PMID: 28056105]

Jeong H, Bae EK, Kim H, Eun YH, Kim IY, Kim H, Lee J, Jeon CH, Koh EM, Cha HS. Estrogen attenuates the spondyloarthritis manifestations of the SKG arthritis model. *Arthritis Res Ther.* 2017 Sep;19(1):198. [PMID: 28882159]

Jeong H, Bae EK, Kim H, Lim DH, Chung TY, Lee J, Jeon CH, Koh EM, Cha HS. Spondyloarthritis features in zymosan-induced SKG mice. *Joint Bone Spine.* 2017 Nov 29. pii: S1297-319X(17)30198-7. [PMID: 29197633]

Shimizu T, Takahata M, Kimura-Suda H, Kameda Y, Endo K, Hamano H, Hiratsuka S, Ota M, Sato D, Ito T, Todoh M, Tadano S, Iwasaki N. Autoimmune arthritis deteriorates bone quantity and quality of periarticular bone in a mouse model of rheumatoid arthritis. *Osteoporos Int.* 2017 Feb;28(2):709-718. [PMID: 27704183]

Sendo S, Saegusa J, Okano T, Takahashi S, Akashi K, Morinobu A. CD11b+Gr-1dim Tolerogenic Dendritic Cell-Like Cells Are Expanded in Interstitial Lung Disease in SKG Mice. *Arthritis Rheumatol.* 2017 Dec;69(12):2314-2327. [PMID: 28805019]

2018

Munenaga S, Ouhara K, Hamamoto Y, Kajiya M, Takeda K, Yamasaki S, Kawai T, Mizuno N, Fujita T, Sugiyama E, Kurihara H. The involvement of C5a in the progression of experimental arthritis with *Porphyromonas gingivalis* infection in SKG mice. *Arthritis Res Ther.* 2018 Nov 3;20(1):247. [PMID: 30390695]

Jeong H, Bae EK, Kim H, Lim DH, Chung TY, Lee J, Jeon CH, Koh EM, Cha HS. Spondyloarthritis features in zymosan-induced SKG mice. *Joint Bone Spine.* 2018 Oct;85(5):583-591. [PMID: 29197633]

Sato T, Konno J, Sekiguchi A, Yoneki N, Kawano K, Hayashi T, Ogawa Y, Kikutsu A, Aijima T, Hara K, Hara S, Hayashi H, Fuchigami K, Igo N, Takashima Y, Kobayashi Y, Mori M, Yamamoto K, Niwa M, Saiga K, Ichimura E. Long-lasting immunosuppressive effects of tacrolimus-loaded micelle NK61060 in preclinical arthritis and colitis models. *Ther Deliv.* 2018 Oct;9(10):711-729.

[PMID: 30390695]

M Arifur Rahman, Ranjeny Thomas. The SKG model of spondyloarthritis. *Best Pract Res Clin Rheumatol.* 2017;31(6):895-909. [PMID: 30509448]

2019

Kustiarini DA, Nishigaki T, Kanno H, To H. Effects of *Morinda citrifolia* on Rheumatoid Arthritis in SKG Mice. *Biol Pharm Bull.* 2019;42(3):496-500. [PMID: 30828080]

Sendo S, Saegusa J, Yamada H, Nishimura K, Morinobu A. Tofacitinib facilitates the expansion of myeloid-derived suppressor cells and ameliorates interstitial lung disease in SKG mice. *Arthritis Res Ther.* 2019 Aug 6;21(1):184. [PMID: 31387650]

Kashiuchi S, Miyazawa R, Nagata H, Shirai M, Shimizu M, Sone H, Kamiyama S. Effects of administration of glucosamine and chicken cartilage hydrolysate on rheumatoid arthritis in SKG mice. *Food Funct.* 2019 Aug 1;10(8):5008-5017. [PMID: 31355395]

2020

Hideki Ueyama, Tadashi Okano, Kumi Orita, Kenji Mamoto, Satoshi Sobajima, Hideki Iwaguro, Hiroaki Nakamura. Local transplantation of adipose-derived stem cells has a significant therapeutic effect in a mouse model of rheumatoid arthritis. *Sci Rep.* 2020 Feb 20;10(1):3076. [PMID: 32080313]

Sungsin Jo, Eun Jeong Won, Moon-Ju Kim, Yu Jeong Lee, So-Hee Jin, Pu-Reum Park, Ho-Chun Song, Jahae Kim, Yoo-Duk Choi, Ji-Young Kim, Seung Cheol Shim, Sung Hoon Choi, Ye-Soo Park, Tae-Hwan Kim 1, Tae-Jong Kim. STAT3 Phosphorylation Inhibition for Treating Inflammation and New Bone Formation in Ankylosing Spondylitis. *Rheumatology (Oxford).* 2020 Nov 25;keaa846. [PMID: 33237331]

2021

Kim HJ, Kim JY, Lee SH, Yang H, Kim K. Anti-Arthritic Effect of TLR4 Inhibitor TAK-242 Through the Inhibition of Th1 and Th17 Cell Proliferation in a Curdlan-Induced Spondyloarthritis SKG Mouse Model. DOI: 10.21203/rs.3.rs-156812/v1. [Research Square preview]

(2023.1)



日本クレア株式会社

東京 A D 部 TEL. 03-5704-7050 FAX. 03-3792-2032
大阪 A D 部 TEL. 06-4861-7101 FAX. 06-4861-7108

<http://www.CLEA-Japan.com>

仙台出張所 TEL. 022-352-4417 FAX. 022-352-4419
札幌出張所 TEL. 011-631-2725 FAX. 011-644-9209